




Office of Radiation and Indoor Air

# Environmental Radiation Data Report 79

July - September 1994



ENVIRONMENTAL

RADIATION

DATA

REPORT 79

July–September 1994

United States Environmental Protection Agency

Office of Radiation and Indoor Air

## Preface

*Environmental Radiation Data* (ERD) is compiled and distributed quarterly by the Office of Radiation and Indoor Air's National Air and Radiation Environmental Laboratory (NAREL) in Montgomery, Alabama, and contains data from the Environmental Radiation Ambient Monitoring System (ERAMS). Data from similar networks operated by contributing States, Canada, Mexico, and the Pan American Health Organization are reported in the ERD when available.

ERAMS was established in 1973 by the United States Environmental Protection Agency. It is comprised of a nationwide network of sampling stations that provide air, surface and drinking water, and milk samples from which environmental radiation levels are derived. The major emphasis for ERAMS is upon identifying trends in the accumulation of long-lived radionuclides in the environment.

Sampling locations are selected to provide optimal population coverage while functioning to monitor fallout from nuclear devices and other forms of radioactive contamination of the environment. The radiation analyses performed on these samples include gross alpha and gross beta levels, gamma analyses for fission products, and specific analyses for uranium, plutonium, strontium, iodine, radium, and tritium. This monitoring effort also provides ancillary information on natural background levels and on routine and accidental releases into the environment from stationary sources.

The radiochemical procedures used by NAREL to analyze the ERAMS samples are contained in the *Eastern Environmental Radiation Facility Radiochemistry Procedures Manual* (EPA 520/5-84-006). Station operation and sample collection are in accordance with procedures contained in the *ERAMS Manual* (EPA 520/5-84-007, 008, 009).

# Contents

	<i>Page</i>
Data Reporting Rationale	ix
ERAMS Data	1
1. Air Program	1
• Airborne Particulates and Precipitation	1
• Plutonium and Uranium in Airborne Particulates and Precipitation	14
2. Water Program	15
• Surface Water	15
• Drinking Water	18
3. Milk Program	21
• Pasteurized Milk	21

# Tables

<i>Table</i>		<i>Page</i>
1	ERAMS Reporting Increments and Minimum Detectable Levels for Radionuclide Analyses	xi
2	Gross Beta in Airborne Particulates: July 1994	2
3	Gross Beta in Airborne Particulates: August 1994	4
4	Gross Beta in Airborne Particulates: September 1994	6
5	Gross Beta and Specific Gamma in Precipitation: July 1994	8
6	Gross Beta and Specific Gamma in Precipitation: August 1994	10
7	Gross Beta and Specific Gamma in Precipitation: September 1994	11
8	Tritium in Precipitation: July–September 1994	13
9	Tritium in Surface Water: July–September 1994	16
10	Tritium in Drinking Water: July–September 1994	19
11	Radionuclides in Pasteurized Milk: July 1994	22
12	Radionuclides in Pasteurized Milk: August 1994	24
13	Radionuclides in Pasteurized Milk: September 1994	26
14	Strontium-90 in Pasteurized Milk: July 1994	28

# Data Reporting Rationale

Frequently, there is little or no radioactivity in environmental media. Thus, the results of laboratory analyses should show a distribution of negative and positive numbers about zero. A negative value occurs when a previously determined background value is subtracted from a sample value that is less than that of the background. From July 1975 to March 1991, ERAMS data were reported as calculated, whether the results were negative, zero, or positive. Since April 1991, negative results have been denoted as "not detectable," or "ND." For gamma analyses only, results less than the  $2\sigma$  counting error are also denoted as "not detectable."

All data are stored in the NAREL sample database as generated, and these values are available for statistical evaluation. However, caution should be exercised in the use of the data in this report for statistical analysis, since the removal of negative numbers produces a positive bias in the distribution of results.

## Reported Error Terms

Each reported value for specific analyses will be accompanied by a counting error term at the  $2\sigma$  (95%) confidence level. Error terms are therefore reported as counting errors. At the very low levels characteristic of most ERAMS measurements, counting error is the greatest contributor to overall error.

## Significant Figures

No more than three significant figures will be reported. A datum that contains more than three figures will be rounded off to three figures.

## Reporting Levels

The reporting units, smallest increments for reporting, and routine minimum detectable concentrations (MDCs) for each isotope are shown in Table 1. The MDC is defined as the minimum concentration that gives a 95% probability of detection when the detection criteria are chosen to give only a 5% probability of false detection in a blank sample. Reporting increments are sometimes considerably smaller than MDCs to avoid truncation errors in averaging.

## Averages

Averages will be calculated along with appropriate error terms in an annual summary and analysis of ERAMS data. In calculating these averages, all values of individual data, including negative numbers, will be utilized. Averages will not be included in ERD quarterly reports.

**Table 1**  
**ERAMS Reporting Increments and Minimum Detectable Concentrations for Radionuclide Analyses**

Radionuclide	Media	Reporting Units	Reporting Increments	Minimum Detectable Concentrations
Gross Alpha	Water	pCi/L	1 pCi/L	2 pCi/L
† Gross Beta	Air	pCi/m <sup>3</sup>	0.01 pCi/m <sup>3</sup>	0.0015 pCi/m <sup>3</sup>
	Water	pCi/L	1 pCi/L	2 pCi/L
	Precipitation	nCi/m <sup>2</sup>	0.01 nCi/m <sup>2</sup>	0.005 nCi/m <sup>2</sup>
	(specific radiochemical analyses)			
Tritium	Water	nCi/L	0.1 nCi/L	0.15 nCi/L
	Milk	nCi/L	0.1 nCi/L	0.15 nCi/L
‡‡ Plutonium-238,239/240	Air	aCi/m <sup>3</sup>	0.1 aCi/m <sup>3</sup>	1.5 aCi/m <sup>3</sup>
	Water	pCi/L	0.001 pCi/L	0.1 pCi/L
‡ Uranium-234,235,238	Air	aCi/m <sup>3</sup>	0.1 aCi/m <sup>3</sup>	1.5 aCi/m <sup>3</sup>
	Water	pCi/L	0.001 pCi/L	0.1 pCi/L
Radium-226	Water	pCi/L	0.1 pCi/L	0.02 pCi/L
Strontium-90	Milk	pCi/L	0.1 pCi/L	2 pCi/L
	Water	pCi/L	0.1 pCi/L	1 pCi/L
‡‡ Iodine-131	Milk (gamma)	pCi/L	1 pCi/L	4 pCi/L
	Water (gamma)	pCi/L	1 pCi/L	4 pCi/L
	Water	pCi/L	0.1 pCi/L	0.3 pCi/L
Cesium-137	Milk	pCi/L	1 pCi/L	5 pCi/L
	Water	pCi/L	1 pCi/L	5 pCi/L
‡‡ Barium-140	Milk	pCi/L	1 pCi/L	15 pCi/L
	Water	pCi/L	1 pCi/L	15 pCi/L
Potassium	Milk	g/L	0.1 g/L	0.06 g/L
	Water	g/L	0.1 g/L	0.06 g/L
Potassium-40	Water	pCi/L	1 pCi/L	50 pCi/L

- † The MDC for precipitation is based on the assumption of 1 cm of precipitation.
- ‡‡ The MDC for air is based on an assumed total sample volume of 60,000 m<sup>3</sup>. Measurement by alpha spectroscopy includes contributions of plutonium-239 and plutonium-240.
- ‡ The MDC for air is based on an assumed total sample volume of 60,000 m<sup>3</sup>.
- ‡‡ Activity as of the day of counting.

# 1. Air Program

## Airborne Particulates and Precipitation

Gross beta radioactivity measurements and certain specific analyses are performed on air particulates and precipitation samples as indicator measurements in assessing the general (national) impact of all contributing sources on environmental levels of radiation.

Airborne particulates are collected continuously at field stations representing wide geographic coverage, including present and potential sources of environmental radioactivity. Sampling sites are located throughout the United States.

Filters (10-cm diameter synthetic fiber) from air samplers are changed twice weekly and field measurements are made with a G-M survey meter† at 5 hours and 29 hours after collection to allow for radon and thoron daughter product decay. Field estimates are reported to appropriate EPA officials by telephone or mail depending on the activity levels found.

The filters are sent to NAREL for more sensitive analyses in a low background beta counter. Gamma scans are performed on all filters showing gross beta counts greater than 1 pCi/m<sup>3</sup>. The laboratory obtained values are usually lower than the field estimates due to the decay of naturally occurring radionuclides between the times of the two measurements.

Precipitation samples are collected at those field stations collecting air filters. These samples are also sent to NAREL where they are composited monthly for gamma scans, tritium, and gross beta activity measurements. A composite of the March, April, and May precipitation samples is analyzed for plutonium-238, -239, -240, and uranium-234, -235, and -238.

A compilation of individual measurements is available from the National Air and Radiation Environmental Laboratory, 540 South Morris Avenue, Montgomery, AL 36115-2601.

Tables 2-4 contain the data from airborne particulate samples for July-September 1994. Tables 5-7 contain the data from precipitation samples for July-September 1994. Table 8 contains the data from tritium in precipitation samples for July-September 1994 at the selected sites.

---

† The counts at five hours for the Montgomery, Alabama, station are performed on a low background beta counter.



**Table 2**  
**Gross Beta in Airborne Particulates**  
**July 1994**

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurement		
		Max	Min	Avg	Max	Min	Avg
		(pCi/m <sup>3</sup> )			(pCi/m <sup>3</sup> )		
AK:Juneau	8	0.0	0.0	0.0	0.00	0.00	0.00
AL:Montgomery	8	0.4	0.0	0.2	0.01	0.00	0.01
AR:Little Rock	8	0.3	0.1	0.2	0.01	0.01	0.01
AZ:Phoenix	3	0.5	0.2	0.4	0.02	0.01	0.01
CA:Berkeley	9	0.0	0.0	0.0	0.01	0.00	0.00
CA:Los Angeles	9	0.2	0.0	0.1	0.01	0.01	0.01
CO:Denver	8	1.0	0.3	0.6	0.02	0.01	0.01
CT:Hartford	9	0.2	0.0	0.1	0.01	0.01	0.01
DE:Wilmington	9	0.3	0.1	0.2	0.01	0.01	0.01
FL:Jacksonville	8	0.1	0.0	0.0	0.01	0.00	0.01
FL:Miami	9	0.0	0.0	0.0	0.02	0.00	0.01
HI:Honolulu	7	0.2	0.1	0.2	0.01	0.00	0.00
IA:Iowa City	8	1.0	0.1	0.5	0.02	0.01	0.01
ID:Boise	9	0.6	0.3	0.4	0.02	0.01	0.01
ID:Idaho Falls	8	0.0	0.0	0.0	0.01	0.00	0.01
IL:Chicago	4	0.2	0.1	0.1	0.01	0.01	0.01
IN:Indianapolis	9	0.4	0.2	0.3	0.02	0.00	0.01
KS:Topeka	7	2.1	0.6	1.4	0.02	0.01	0.01
KY:Frankfort	1	0.0	0.0	0.0	0.01	0.01	0.01
MA:Lawrence	2	0.0	0.0	0.0	0.01	0.01	0.01
ME:Augusta	8	0.3	0.1	0.2	0.01	0.00	0.01
MI:Lansing	8	0.5	0.1	0.2	0.01	0.01	0.01
MN:Minneapolis	4	0.3	0.1	0.2	0.01	0.01	0.01
MO:Jefferson City	9	1.1	0.2	0.6	0.02	0.01	0.01
MS:Jackson	7	0.3	0.1	0.2	0.02	0.01	0.01
NC:Charlotte	7	0.1	0.0	0.1	0.01	0.00	0.01
NC:Wilmington	4	0.0	0.0	0.0	0.01	0.01	0.01
ND:Bismarck	7	1.1	0.3	0.5	0.01	0.01	0.01
NH:Concord	9	0.2	0.0	0.1	0.01	0.01	0.01
NJ:Trenton	8	2.0	0.2	0.7	0.02	0.00	0.01
NM:Santa Fe	8	0.4	0.1	0.3	0.01	0.01	0.01
NV:Las Vegas	8	0.2	0.1	0.2	0.02	0.01	0.01
NY:Albany	4	0.2	0.1	0.2	0.01	0.01	0.01
NY:Niagara Falls	9	5.4	0.1	1.5	0.02	0.01	0.01
NY:Syracuse	2	0.1	0.1	0.1	0.01	0.01	0.01
NY:Yaphank	9	0.2	0.1	0.2	0.01	0.00	0.01
OH:Columbus	3	0.1	0.1	0.1	0.01	0.01	0.01

**Table 2 (continued)**  
**Gross Beta in Airborne Particulates**  
**July 1994**

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurement		
		Max	Min	Avg	Max	Min	Avg
OH:Painesville	9	0.5	0.1	0.2	0.02	0.01	0.01
OH:Ross	8	0.0	0.0	0.0	0.02	0.01	0.02
OH:Toledo	8	0.3	0.1	0.2	0.02	0.01	0.01
OR:Portland	9	0.0	0.0	0.0	0.01	0.00	0.00
PA:Harrisburg	9	0.4	0.1	0.3	0.01	0.01	0.01
PA:Pittsburgh	9	0.0	0.0	0.0	0.01	0.01	0.01
SC:Barnwell	3	0.0	0.0	0.0	0.01	0.00	0.01
SC:Columbia	8	0.2	0.0	0.1	0.02	0.01	0.01
SD:Pierre	8	0.6	0.2	0.4	0.01	0.01	0.01
TN:Knoxville	9	0.0	0.0	0.0	0.03	0.01	0.02
TN:Nashville	7	0.5	0.1	0.2	0.02	0.01	0.01
TX:Austin	9	0.2	0.1	0.2	0.02	0.01	0.01
TX:El Paso	8	0.9	0.2	0.5	0.02	0.01	0.01
UT:Salt Lake City	7	0.3	0.0	0.2	0.02	0.01	0.01
VA:Lynchburg	7	0.9	0.3	0.5	0.01	0.01	0.01
VA:Virginia Beach	1	0.0	0.0	0.0	0.01	0.01	0.01
WA:Olympia	9	0.2	0.0	0.1	0.00	0.00	0.00
WA:Spokane	9	0.6	0.1	0.3	0.02	0.00	0.01
WI:Madison	9	0.3	0.1	0.2	0.01	0.00	0.01

Minimum Detectable Concentration for field estimates - 0.1 pCi/m<sup>3</sup>.

**Table 3**  
**Gross Beta in Airborne Particulates**  
**August 1994**

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurement		
		Max	Min	Avg	Max	Min	Avg
AK:Fairbanks	3	0.1	0.0	0.0	0.01	0.00	0.00
AK:Juneau	8	0.0	0.0	0.0	0.02	0.00	0.01
AL:Montgomery	8	1.0	0.0	0.3	0.02	0.00	0.01
AR:Little Rock	9	0.8	0.2	0.4	0.02	0.01	0.01
AZ:Phoenix	5	0.5	0.3	0.4	0.01	0.01	0.01
CA:Berkeley	9	0.1	0.0	0.0	0.01	0.00	0.00
CA:Los Angeles	9	0.3	0.0	0.2	0.01	0.01	0.01
CO:Denver	9	0.9	0.4	0.6	0.02	0.01	0.01
CT:Hartford	1	0.1	0.1	0.1	0.01	0.01	0.01
DE:Wilmington	9	0.1	0.0	0.1	0.02	0.01	0.01
FL:Jacksonville	9	0.1	0.0	0.0	0.01	0.00	0.01
FL:Miami	9	0.1	0.0	0.0	0.01	0.00	0.01
HI:Honolulu	7	0.2	0.1	0.1	0.00	0.00	0.00
IA:Iowa City	9	1.2	0.2	0.6	0.02	0.01	0.01
ID:Boise	9	1.3	0.2	0.6	0.02	0.00	0.01
ID:Idaho Falls	9	0.0	0.0	0.0	0.01	0.01	0.01
IL:Chicago	7	0.8	0.0	0.3	0.03	0.01	0.02
IN:Indianapolis	9	0.4	0.3	0.3	0.02	0.00	0.02
KS:Topeka	8	3.2	0.8	1.8	0.02	0.01	0.01
KY:Frankfort	3	0.0	0.0	0.0	0.02	0.01	0.02
MA:Lawrence	1	0.0	0.0	0.0	0.01	0.01	0.01
ME:Augusta	8	0.2	0.1	0.1	0.02	0.01	0.01
MI:Lansing	9	0.6	0.0	0.2	0.02	0.01	0.01
MN:Minneapolis	4	0.2	0.1	0.1	0.01	0.01	0.01
MO:Jefferson City	9	1.6	0.3	0.7	0.02	0.01	0.01
MS:Jackson	9	0.6	0.2	0.3	0.02	0.01	0.02
NC:Charlotte	7	0.1	0.0	0.1	0.02	0.01	0.01
NC:Wilmington	3	0.0	0.0	0.0	0.01	0.01	0.01
ND:Bismarck	7	2.4	0.2	1.1	0.02	0.01	0.01
NH:Concord	9	0.3	0.1	0.2	0.02	0.01	0.01
NJ:Trenton	9	0.9	0.2	0.4	0.02	0.01	0.01
NM:Santa Fe	8	0.5	0.0	0.3	0.01	0.00	0.01
NV:Las Vegas	9	0.2	0.1	0.1	0.01	0.01	0.01
NY:Albany	5	0.1	0.1	0.1	0.01	0.01	0.01
NY:Niagara Falls	9	4.8	0.1	2.1	0.01	0.01	0.01
NY:Syracuse	4	0.1	0.0	0.1	0.01	0.01	0.01
NY:Yaphank	9	0.2	0.0	0.1	0.02	0.00	0.01

**Table 3 (continued)**  
**Gross Beta in Airborne Particulates**  
**August 1994**

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurement		
		Max	Min	Avg	Max	Min	Avg
OH:Columbus	3	0.1	0.1	0.1	0.01	0.01	0.01
OH:Painesville	9	0.4	0.1	0.2	0.02	0.01	0.01
OH:Ross	8	0.0	0.0	0.0	0.03	0.01	0.02
OH:Toledo	9	0.5	0.1	0.3	0.03	0.01	0.02
OR:Portland	9	0.0	0.0	0.0	0.01	0.00	0.00
PA:Harrisburg	9	0.6	0.1	0.3	0.02	0.01	0.01
PA:Pittsburgh	9	0.1	0.0	0.1	0.02	0.01	0.01
SC:Barnwell	2	0.0	0.0	0.0	0.01	0.01	0.01
SC:Columbia	8	0.5	0.0	0.2	0.04	0.01	0.01
SD:Pierre	4	0.8	0.2	0.5	0.02	0.01	0.01
TN:Knoxville	8	0.0	0.0	0.0	0.05	0.02	0.03
TN:Nashville	7	1.1	0.0	0.4	0.02	0.01	0.02
TX:Austin	9	0.3	0.0	0.1	0.01	0.01	0.01
TX:El Paso	9	0.8	0.3	0.6	0.02	0.01	0.01
UT:Salt Lake City	8	0.4	0.0	0.2	0.02	0.01	0.01
VA:Lynchburg	9	1.4	0.1	0.6	0.02	0.00	0.01
VA:Virginia Beach	3	0.0	0.0	0.0	0.01	0.00	0.01
WA:Olympia	8	0.2	0.0	0.1	0.01	0.00	0.00
WA:Spokane	9	0.6	0.2	0.3	0.02	0.00	0.01
WI:Madison	9	0.4	0.1	0.2	0.02	0.01	0.01

Minimum Detectable Concentration for field estimates - 0.1 pCi/m<sup>3</sup>.

**Table 4**  
**Gross Beta in Airborne Particulates**  
**September 1994**

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurement		
		Max	Min	Avg	Max	Min	Avg
		(pCi/m <sup>3</sup> )			(pCi/m <sup>3</sup> )		
AK:Fairbanks	9	0.0	0.0	0.0	0.01	0.00	0.00
AK:Juneau	7	0.0	0.0	0.0	0.00	0.00	0.00
AL:Montgomery	9	1.0	0.1	0.4	0.02	0.01	0.01
AR:Little Rock	9	0.8	0.2	0.5	0.03	0.01	0.02
AZ:Phoenix	4	1.0	0.5	0.7	0.02	0.01	0.01
CA:Berkeley	9	0.2	0.0	0.1	0.02	0.00	0.01
CA:Los Angeles	9	0.4	0.1	0.2	0.02	0.01	0.01
CO:Denver	9	1.3	0.3	0.6	0.03	0.01	0.01
DE:Wilmington	9	0.5	0.1	0.2	0.02	0.01	0.01
FL:Jacksonville	8	0.1	0.0	0.1	0.02	0.01	0.01
FL:Miami	9	0.0	0.0	0.0	0.01	0.00	0.01
HI:Honolulu	8	0.2	0.1	0.2	0.00	0.00	0.00
IA:Iowa City	9	1.1	0.1	0.5	0.03	0.00	0.01
ID:Boise	9	1.8	0.2	1.0	0.03	0.01	0.02
ID:Idaho Falls	9	0.0	0.0	0.0	0.02	0.01	0.01
IL:Chicago	5	1.0	0.1	0.4	0.04	0.01	0.02
IN:Indianapolis	9	1.3	0.2	0.6	0.04	0.01	0.02
KS:Topeka	9	2.9	0.2	1.2	0.02	0.01	0.01
KY:Frankfort	4	0.0	0.0	0.0	0.01	0.01	0.01
ME:Augusta	9	0.3	0.0	0.2	0.01	0.00	0.01
MI:Lansing	9	0.4	0.1	0.2	0.02	0.01	0.01
MN:Minneapolis	5	0.1	0.1	0.1	0.02	0.01	0.01
MO:Jefferson City	8	0.9	0.3	0.5	0.03	0.01	0.01
MS:Jackson	9	0.6	0.2	0.4	0.03	0.01	0.02
NC:Charlotte	9	0.2	0.0	0.1	0.04	0.01	0.02
NC:Wilmington	3	0.0	0.0	0.0	0.01	0.01	0.01
ND:Bismarck	8	1.3	0.2	0.7	0.02	0.01	0.01
NH:Concord	9	0.3	0.1	0.1	0.01	0.00	0.01
NJ:Trenton	9	1.5	0.3	0.7	0.02	0.01	0.01
NM:Santa Fe	7	0.7	0.1	0.3	0.01	0.00	0.01
NV:Las Vegas	9	0.3	0.1	0.2	0.02	0.01	0.01
NY:Albany	4	0.1	0.0	0.1	0.02	0.01	0.01
NY:Niagara Falls	9	0.4	0.0	0.2	0.03	0.01	0.01
NY:Syracuse	4	0.0	0.0	0.0	0.02	0.01	0.01
NY:Yaphank	9	0.3	0.0	0.1	0.02	0.00	0.01
OH:Columbus	5	0.1	0.1	0.1	0.02	0.01	0.01
OH:Painesville	9	0.5	0.1	0.3	0.03	0.01	0.01

**Table 4 (continued)**  
**Gross Beta in Airborne Particulates**  
**September 1994**

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurement		
		Max	Min	Avg	Max	Min	Avg
OH:Ross	9	0.0	0.0	0.0	0.04	0.01	0.02
OH:Toledo	9	0.5	0.1	0.3	0.03	0.01	0.02
OR:Portland	8	0.0	0.0	0.0	0.01	0.00	0.00
PA:Harrisburg	9	0.8	0.1	0.4	0.02	0.01	0.01
PA:Pittsburgh	9	0.2	0.1	0.2	0.02	0.01	0.01
SC:Barnwell	2	0.0	0.0	0.0	0.01	0.01	0.01
SC:Columbia	9	0.5	0.1	0.3	0.03	0.01	0.02
SD:Pierre	6	1.1	0.4	0.6	0.02	0.01	0.01
TN:Knoxville	6	0.0	0.0	0.0	0.03	0.02	0.03
TN:Nashville	9	0.6	0.1	0.3	0.04	0.01	0.02
TX:Austin	9	0.2	0.1	0.1	0.01	0.00	0.01
TX:El Paso	9	1.4	0.2	0.6	0.02	0.00	0.01
UT:Salt Lake City	8	0.3	0.1	0.2	0.02	0.01	0.02
VA:Lynchburg	9	1.4	0.3	0.7	0.02	0.01	0.01
VA:Virginia Beach	2	0.0	0.0	0.0	0.01	0.01	0.01
WA:Olympia	9	0.2	0.1	0.1	0.01	0.00	0.00
WA:Spokane	9	0.5	0.2	0.4	0.02	0.00	0.01
WI:Madison	9	1.0	0.1	0.4	0.04	0.00	0.01

Minimum Detectable Concentration for field estimates - 0.1 pCi/m<sup>3</sup>.

**Table 5**  
**Gross Beta and Specific Gamma in Precipitation**  
**July 1994**

Location	Depth (mm)	Gross Beta Activity		Specific Gamma
		nCi/m <sup>2</sup>	±2σ	Activity pCi/L ±2σ
AK: Juneau	32.0	0.03	0.01	ND
AL: Montgomery	117.4	0.20	0.04	<sup>7</sup> Be: 39.3±25.3 <sup>214</sup> Pb: 7.9±5.2
AR: Little Rock	81.0	0.16	0.03	<sup>7</sup> Be: 38.1±24.3
AZ: Phoenix	8.4	0.02	0.00	ND
CT: Hartford	40.0	0.07	0.01	<sup>7</sup> Be: 40.1±21.9
DE: Wilmington	161.0	0.16	0.05	ND
FL: Jacksonville	183.0	0.16	0.05	<sup>7</sup> Be: 42.5±34.3
FL: Miami	97.2	0.07	0.03	<sup>214</sup> Bi: 23.1±5.9 <sup>214</sup> Pb: 10.0±4.5
ID: Idaho Falls	8.0	0.06	0.01	<sup>214</sup> Pb: 10.9±7.2
ID: Idaho Falls	3.2	0.01	0.00	ND
ID: Idaho Falls	8.0	0.04	0.00	<sup>214</sup> Bi: 8.8±6.9
IL: Chicago	59.6	0.03	0.02	ND
ME: Augusta	53.0	0.16	0.02	<sup>7</sup> Be: 68.8±28.4
MI: Lansing	80.0	0.18	0.03	<sup>214</sup> Pb: 5.3±5.2 <sup>7</sup> Be: 57.3±26.4
MN: Minneapolis	83.0	0.10	0.03	<sup>7</sup> Be: 31.1±26.1
MO: Jefferson City	86.0	0.10	0.03	<sup>7</sup> Be: 51.7±24.8 <sup>214</sup> Bi: 10.5±6.1
MS: Jackson	42.0	0.02	0.01	<sup>7</sup> Be: 20.9±19.4
NC: Charlotte	136.0	0.20	0.04	<sup>7</sup> Be: 43.1±25.9
NC: Wilmington	11.4	0.01	0.00	<sup>214</sup> Pb: 7.3±7.1 <sup>7</sup> Be: 31.6±27.4
ND: Bismarck	54.8	0.08	0.02	ND
NH: Concord	112.8	0.28	0.05	<sup>7</sup> Be: 44.4±23.1
NJ: Trenton	156.6	0.32	0.06	<sup>7</sup> Be: 35.8±26.1
NV: Las Vegas	6.0	0.03	0.00	<sup>40</sup> K: 63.3±37.3 <sup>214</sup> Bi: 8.1±5.9 <sup>7</sup> Be: 88.8±27.6
NY: Albany	64.6	0.31	0.03	<sup>214</sup> Pb: 7.4±5.2 <sup>7</sup> Be: 101±27
NY: Niagara Falls	39.0	0.07	0.01	<sup>7</sup> Be: 73.2±30.8
NY: Syracuse	16.0	0.01	0.00	<sup>208</sup> Tl: 4.0±3.5 <sup>7</sup> Be: 36.6±28.7
NY: Yaphank	16.0	0.18	0.01	ND
OH: Painesville	96.4	0.46	0.05	<sup>214</sup> Bi: 12.1±5.7 <sup>7</sup> Be: 89.4±27.3
OH: Toledo	24.0	0.05	0.01	<sup>214</sup> Pb: 4.9±4.8 ND

**Table 5 (continued)**  
**Gross Beta and Specific Gamma in Precipitation**  
**July 1994**

Location	Depth (mm)	Gross Beta Activity		Specific Gamma Activity	
		nCi/m <sup>2</sup>	±2σ	pCi/L	±2σ
PA:Harrisburg	98.0	0.25	0.04	<sup>7</sup> Be: 67.6±34.4 <sup>214</sup> Pb: 7.8±7.1	
SC:Barnwell	213.4	0.25	0.07	ND	
SC:Columbia	76.6	0.15	0.03	ND	
TN:Knoxville	113.0	0.07	0.03	ND	
TN:Nashville	136.6	0.33	0.05	<sup>214</sup> Pb: 7.1±6.5	
VA:Lynchburg	85.8	0.27	0.04	ND	
WA:Olympia	3.0	0.00	0.00	<sup>212</sup> Pb: 5.4±4.1 <sup>214</sup> Bi: 17.9±6.1 <sup>214</sup> Pb: 6.3±4.1	
WI:Madison	111.2	0.21	0.04	<sup>214</sup> Bi: 8.5±6.8 <sup>7</sup> Be: 48.7±25.2	

Note: σ = Counting Error. ND = Not Detectable.



**Table 6**  
**Gross Beta and Specific Gamma in Precipitation**  
**August 1994**

Location	Depth (mm)	Gross Beta Activity		Specific Gamma
		nCi/m <sup>2</sup>	±2σ	Activity pCi/L ±2σ
AK:Juneau	24.0	0.01	0.01	<sup>7</sup> Be: 53.4±38.7
AL:Montgomery	82.4	0.07	0.02	<sup>214</sup> Bi: 13.6±5.9
AR:Little Rock	61.0	0.10	0.02	ND
AZ:Phoenix	5.4	0.01	0.00	ND
CO:Denver	12.4	0.08	0.01	<sup>7</sup> Be: 37.7±29.6
DE:Wilmington	189.0	0.22	0.06	<sup>7</sup> Be: 27.2±20.5
FL:Jacksonville	99.6	0.10	0.03	<sup>212</sup> Pb: 9.8±6.1
				<sup>7</sup> Be: 22.8±22.3
FL:Miami	158.6	0.04	0.04	ND
IA:Iowa City	57.2	0.04	0.02	<sup>7</sup> Be: 56.5±35.6
IL:Chicago	89.6	0.04	0.02	<sup>7</sup> Be: 39.8±36.3
ME:Augusta	61.0	0.23	0.03	<sup>7</sup> Be: 64.1±30.9
MI:Lansing	124.6	0.11	0.04	<sup>7</sup> Be: 38.2±37.3
MN:Minneapolis	84.0	0.07	0.02	ND
MO:Jefferson City	82.0	0.10	0.03	<sup>7</sup> Be: 47.7±24.0
MS:Jackson	42.0	0.07	0.01	ND
NC:Charlotte	107.8	0.36	0.05	<sup>7</sup> Be: 115±44
NC:Wilmington	86.0	0.03	0.02	ND
NH:Concord	68.8	0.09	0.02	ND
NJ:Trenton	149.8	0.10	0.04	ND
NY:Albany	106.6	0.60	0.06	<sup>7</sup> Be: 58.0±33.8
NY:Niagara Falls	59.0	0.05	0.02	ND
NY:Syracuse	32.0	0.03	0.01	ND
NY:Yaphank	48.0	0.09	0.02	<sup>7</sup> Be: 35.5±21.3
OH:Painesville	127.6	0.35	0.05	<sup>7</sup> Be: 56.0±29.1
OH:Toledo	58.0	0.13	0.02	ND
PA:Harrisburg	122.0	0.32	0.05	<sup>7</sup> Be: 65.9±36.7
SC:Barnwell	97.0	0.16	0.03	<sup>214</sup> Bi: 18.0±6.5
SC:Columbia	118.0	0.08	0.03	<sup>7</sup> Be: 33.0±26.0
TN:Knoxville	95.0	0.06	0.03	<sup>214</sup> Bi: 8.7±7.7
TN:Nashville	67.2	0.03	0.02	ND
TX:Austin	70.0	0.03	0.02	<sup>7</sup> Be: 28.3±21.6
UT:Salt Lake City	6.0	0.02	0.00	<sup>7</sup> Be: 63.5±23.0
VA:Lynchburg	114.4	0.37	0.05	ND
WA:Olympia	14.4	0.01	0.00	<sup>214</sup> Bi: 8.4±5.6
WI:Madison	100.0	0.08	0.03	ND

Note: σ = Counting Error. ND = Not Detectable.

**Table 7**  
**Gross Beta and Specific Gamma in Precipitation**  
**September 1994**

Location	Depth (mm)	Gross Beta Activity		Specific Gamma
		nCi/m <sup>2</sup>	±2σ	Activity pCi/L ±2σ
AK:Juneau	32.0	0.01	0.01	<sup>7</sup> Be: 61.0±28.1
AL:Montgomery	71.0	0.07	0.02	ND
AR:Little Rock	64.0	0.09	0.02	<sup>214</sup> Pb: 9.1±4.8
				<sup>7</sup> Be: 36.4±34.5
AZ:Phoenix	12.0	0.01	0.00	ND
DE:Wilmington	53.0	0.04	0.01	ND
FL:Jacksonville	265.4	0.25	0.10	ND
FL:Miami	199.8	0.11	0.05	ND
IA:Iowa City	68.2	0.05	0.02	<sup>7</sup> Be: 36.4±34.6
ID:Idaho Falls	25.6	0.07	0.01	ND
IL:Chicago	39.6	0.03	0.01	ND
ME:Augusta	71.0	0.12	0.03	<sup>7</sup> Be: 47.1±34.8
MI:Lansing	62.8	0.05	0.02	ND
MN:Minneapolis	80.6	0.09	0.02	<sup>7</sup> Be: 66.8±40.4
MO:Jefferson City	49.0	0.08	0.02	<sup>7</sup> Be: 67.1±45.0
MS:Jackson	84.0	0.14	0.03	ND
NC:Charlotte	50.4	0.13	0.02	<sup>7</sup> Be: 57.1±33.8
NC:Wilmington	90.0	0.10	0.03	<sup>7</sup> Be: 35.9±27.4
ND:Bismarck	17.6	0.03	0.01	ND
NH:Concord	128.2	0.24	0.05	<sup>7</sup> Be: 73.9±34.1
NJ:Trenton	33.2	0.07	0.01	<sup>7</sup> Be: 43.5±33.3
NM:Santa Fe	35.0	0.05	0.01	ND
NV:Las Vegas	6.0	0.02	0.00	<sup>214</sup> Bi: 11.8±6.5
				<sup>7</sup> Be: 45.5±22.6
NY:Albany	78.2	0.17	0.03	<sup>7</sup> Be: 76.3±32.7
NY:Niagara Falls	83.0	0.14	0.03	<sup>7</sup> Be: 63.5±30.7
NY:Syracuse	24.0	0.03	0.01	ND
NY:Yaphank	24.0	0.03	0.01	ND
OH:Painesville	23.4	0.05	0.01	<sup>7</sup> Be: 91.2±33.6
OH:Toledo	15.0	0.08	0.01	<sup>214</sup> Pb: 7.9±4.3
				<sup>214</sup> Bi: 9.9±6.0
				<sup>7</sup> Be: 24.8±24.5
PA:Harrisburg	59.6	0.07	0.02	<sup>7</sup> Be: 33.4±31.0
SC:Barnwell	79.0	0.13	0.03	<sup>214</sup> Pb: 8.2±4.6
				<sup>214</sup> Bi: 14.1±5.6
SC:Columbia	86.4	0.06	0.03	ND
TN:Knoxville	61.0	0.09	0.02	ND
TN:Nashville	90.0	0.16	0.04	<sup>7</sup> Be: 37.9±31.5
TX:Austin	80.0	0.04	0.02	ND
VA:Lynchburg	81.0	0.23	0.04	ND

**Table 7 (continued)**  
**Gross Beta and Specific Gamma in Precipitation**  
**September 1994**

Location	Depth (mm)	Gross Beta Activity		Specific Gamma
		nCi/m <sup>2</sup>	±2σ	Activity pCi/L ±2σ
WA:Olympia	39.0	0.01	0.01	<sup>214</sup> Bi: 12.3±9.2
WI:Madison	111.2	0.11	0.04	ND

Note: σ = Counting Error. ND = Not Detectable.

**Table 8**  
**Tritium in Precipitation**  
**July–September 1994**

Location	July 1994		August 1994		September 1994	
	nCi/L	$\pm 2\sigma$	nCi/L	$\pm 2\sigma$	nCi/L	$\pm 2\sigma$
AK:Juneau	0.1	0.2	0.1	0.2	0.1	0.2
AL:Montgomery	0.2	0.2	0.1	0.1	0.1	0.2
AR:Little Rock	0.1	0.2	0.1	0.2	0.1	0.2
AZ:Phoenix	0.1	0.2	0.1	0.2	0.1	0.3
CO:Denver	NS		0.1	0.3	NS	
CT:Hartford	0.1	0.2	NS		NS	
DE:Wilmington	0.1	0.2	0.1	0.2	0.1	0.2
FL:Jacksonville	0.2	0.2	0.1	0.2	0.1	0.3
FL:Miami	0.1	0.3	0.1	0.1	0.2	0.2
IA:Iowa City	NS		0.1	0.2	0.2	0.2
ID:Idaho Falls	0.1	0.2	NS		0.1	0.1
IL:Chicago	0.1	0.2	0.1	0.2	0.1	0.3
ME:Augusta	0.1	0.1	0.1	0.1	0.1	0.2
MI:Lansing	0.2	0.2	0.1	0.2	0.1	0.2
MN:Minneapolis	0.2	0.2	0.1	0.2	0.1	0.1
MO:Jefferson City	0.1	0.1	0.1	0.1	0.1	0.2
MS:Jackson	0.1	0.2	0.1	0.1	0.1	0.2
NC:Charlotte	0.1	0.1	0.1	0.1	0.1	0.1
NC:Wilmington	0.1	0.2	0.1	0.1	0.1	0.2
ND:Bismarck	0.1	0.2	NS		0.1	0.3
NH:Concord	0.1	0.2	0.1	0.2	0.1	0.2
NJ:Trenton	0.1	0.2	0.1	0.1	0.1	0.2
NM:Santa Fe	NS		NS		0.1	0.2
NV:Las Vegas	0.1	0.2	NS		0.1	0.3
NY:Albany	0.2	0.2	0.1	0.1	0.1	0.2
NY:Niagara Falls	0.1	0.2	0.1	0.1	0.1	0.2
NY:Syracuse	0.1	0.1	0.1	0.2	0.2	0.2
NY:Yaphank	0.1	0.2	0.1	0.1	0.3	0.2
OH:Painesville	0.1	0.2	0.1	0.3	0.1	0.3
OH:Toledo	0.2	0.2	0.1	0.2	0.1	0.2
PA:Harrisburg	0.1	0.2	0.1	0.2	0.1	0.2
SC:Barnwell	0.3	0.2	0.2	0.2	0.4	0.2
SC:Columbia	0.1	0.2	0.2	0.1	0.1	0.2
TN:Knoxville	0.1	0.2	0.1	0.2	0.2	0.2
TN:Nashville	0.1	0.1	0.1	0.1	0.1	0.2
TX:Austin	NS		0.1	0.2	0.1	0.2
UT:Salt Lake City	NS		0.1	0.2	NS	
VA:Lynchburg	0.1	0.1	0.2	0.2	0.1	0.2
WA:Olympia	0.1	0.1	0.1	0.2	0.1	0.2
WI:Madison	0.1	0.2	0.1	0.2	0.1	0.3

Note:  $\sigma$  = Counting Error. NS = No Sample.

## **Plutonium and Uranium in Airborne Particulates and Precipitation**

Environmental radiation levels of plutonium and uranium are determined by the analysis of semiannually composited samples (air filters) collected from the continuously operating airborne particulate samplers.

Concentrations of the specific isotopes of plutonium-238, -239, and -240 and uranium-234, -235, and -238 are determined by alpha spectroscopy following chemical separation. The volume of air represented by the semiannual composite ranges from 60,000 to 250,000 cubic meters.

Plutonium and uranium results are published when they become available.

## 2. Water Program

The ERAMS water program provides data on ambient radiation levels in the nation's rivers, streams, and drinking water supplies.

### Surface Water

Quarterly grab samples are taken downstream from operating or future nuclear facilities at 58 stations. Surface water samples are analyzed for tritium quarterly and specific gamma activity annually. Tritium is a primary radioactive pollutant from nuclear power plants and weapons production activities. Tritium concentrations are determined by liquid scintillation counting of distilled samples. Gamma scans are performed annually to determine levels of gamma emitting radionuclides.

Table 9 contains the tritium concentration data for July–September 1994.

**Table 9**  
**Tritium in Surface Water**  
**July–September 1994**

Location	Source	Date Collected	<sup>3</sup> H	
			nCi/L	±2σ
AL:Decatur	Tennessee River	07/12/94	0.1	0.2
AL:Gordon	Chattahoochee River	07/18/94	0.2	0.2
AL:Scottsboro	Tennessee River	07/12/94	0.1	0.1
AR:Little Rock	Arkansas River	07/05/94	0.1	0.1
CA:Clay Station	Folsom S. Canal	07/12/94	0.1	0.1
CA:Diablo Canyon	Pacific Ocean	07/05/94	0.2	0.2
CA:Diablo Canyon	Pacific Ocean	09/29/94	0.1	0.3
CA:Eureka	Humboldt Bay	07/07/94	0.1	0.1
CA:San Onofre	Pacific Ocean	08/17/94	0.1	0.1
CO:Platteville	South Platte River	07/13/94	0.1	0.2
CT:East Haddam	Connecticut River	07/20/94	0.4	0.2
CT:Waterford	Long Island Sound	07/20/94	0.1	0.2
FL:Crystal River	Gulf Of Mexico	07/06/94	0.1	0.1
FL:Ft. Pierce	Atlantic Ocean	08/18/94	0.1	0.2
FL:Homestead	Biscayne Bay	07/21/94	0.2	0.2
IA:Cedar Rapids	Cedar River	09/20/94	0.1	0.1
IL:E. Moline	Mississippi River	07/07/94	0.2	0.2
IL:Morris	Illinois River	07/24/94	0.1	0.2
IL:Zion	Lake Michigan	08/15/94	0.1	0.2
KS:Le Roy	Neosho River	09/27/94	0.1	0.2
LA:New Orleans	Mississippi River	07/06/94	0.3	0.2
MA:Plymouth	Cape Cod Bay	08/10/94	0.2	0.2
MD:Conowingo	Susquehanna River	07/19/94	0.1	0.2
MD:Lusby	Chesapeake Bay	07/19/94	0.2	0.1
ME:Wiscasset	Montseway Bay	07/12/94	0.2	0.2
MI:Bridgman	Lake Michigan	07/26/94	0.1	0.1
MI:Charlevoix	Lake Michigan	07/14/94	0.1	0.2
MI:Monroe	Lake Erie	07/18/94	0.3	0.1
MI:South Haven	Lake Michigan	07/27/94	0.1	0.2
MN:Monticello	Mississippi River	07/13/94	0.1	0.2
MN:Red Wing	Mississippi River	08/12/94	0.1	0.2
MS:Port Gibson	Mississippi River	07/19/94	0.2	0.1
NC:Charlotte	Catawba River	07/21/94	0.2	0.2
NC:Southport	Atlantic Ocean	07/07/94	0.1	0.1
NE:Rulo	Missouri River	07/25/94	0.1	0.1
NJ:Bayside	Delaware River	07/12/94	0.1	0.2
NJ:Oyster Creek	Oyster Creek	07/13/94	0.2	0.2

**Table 9 (continued)**  
**Tritium in Surface Water**  
**July–September 1994**

Location	Source	Date Collected	<sup>3</sup> H	
			nCi/L	±2σ
NV:Boulder City	Colorado River	08/03/94	0.2	0.2
NY:Chelsea	Hudson River	07/06/94	0.1	0.1
NY:Croton-On-Hudson	Hudson River	08/11/94	0.2	0.2
OH:Toledo	Lake Erie	07/06/94	0.1	0.1
OR:Bradwood	Columbia River	07/20/94	0.2	0.2
PA:Danville	Susquehanna River	07/20/94	0.1	0.1
PA:Danville	Susquehanna River	09/20/94	0.1	0.2
PA:Philadelphia	Delaware River	09/20/94	0.1	0.1
PA:Philadelphia	Schuylkill R.-Queen	09/20/94	0.1	0.2
SC:Allendale	Savannah River	07/31/94	1.5	0.3
SC:Broad River	Broad River	07/14/94	0.1	0.2
SC:Hartsville	Lake Robinson	07/18/94	0.4	0.2
TN:Daisy	Tennessee River	08/08/94	0.1	0.2
TN:Kingston	Clinch River	07/12/94	0.2	0.2
TN:Kingston	Clinch River	08/02/94	0.5	0.2
TX:El Paso	Rio Grande	08/18/94	0.1	0.1
TX:Matagorda	Colorado River	07/11/94	0.1	0.2
VA:Doswell	North Anna River	07/07/94	3.4	0.2
VA:Newport News	James River	07/20/94	0.3	0.2
VT:Vernon	Connecticut River	07/12/94	0.1	0.1
WA:Northport	Columbia River	09/07/94	0.1	0.2
WA:Richland	Columbia River	07/11/94	0.2	0.1
WI:Two Creeks	Lake Michigan	07/12/94	0.1	0.1
WI:Victory	Mississippi River	07/11/94	0.1	0.1
WV:Wheeling	Ohio River	07/05/94	0.2	0.1

Note: σ = Counting Error.



## Drinking Water

This program monitors ambient radiation levels in drinking water at 78 sites. These data serve to assess trends and anomalies in concentrations, and to compare with standards set forth in the EPA "National Interim Primary Drinking Water Regulations." These regulations provide for approval of supplies when the combined radium-226 and radium-228 levels do not exceed 5 pCi/L, when the gross alpha (excluding radon and uranium) levels do not exceed 15 pCi/L, when tritium levels do not exceed 20,000 pCi/L, when the strontium-90 levels do not exceed 8 pCi/L, and when the gross beta levels do not exceed 50 pCi/L.

Grab samples are taken at the 78 sites which are either major population centers or selected nuclear facility environs.

The analyses include (a) tritium on a quarterly basis; (b) gross alpha, gross beta, strontium-90, and gamma on annual composites; (c) radium-226 if the gross alpha exceeds 2 pCi/L and radium-228 if the radium-226 falls between 3 and 5 pCi/L; (d) specific iodine-131 on one quarterly sample per year for each station; and (e) an annual composite for plutonium-238, -239, and -240 and uranium-234, -235, and -238 for stations that demonstrate gross alpha levels greater than 2 pCi/L.

Tritium analyses are performed by scintillation counting of the distilled samples. Gross beta and alpha are determined by evaporating an aliquot on a stainless steel planchet for counting. Radium-226 is determined by the standard emanation technique. Strontium-90 is determined by beta counting a strontium carbonate precipitate isolated by ion exchange.

Table 10 contains the data from drinking water samples for July–September 1994.

**Table 10**  
**Tritium in Drinking Water**  
**July–September 1994**

Location	Date Collected	<sup>3</sup> H	
		nCi/L	±2σ
AK:Fairbanks	07/08/94	0.1	0.1
AL:Dothan	07/18/94	0.3	0.2
AL:Montgomery	07/19/94	0.2	0.2
AL:Muscle Shoals	07/12/94	0.1	0.2
AL:Scottsboro	07/12/94	0.1	0.1
AR:Little Rock	07/05/94	0.1	0.1
CA:Berkeley	07/01/94	0.1	0.2
CA:Los Angeles	07/05/94	0.1	0.1
CO:Denver	07/08/94	0.2	0.2
CO:Platteville	07/06/94	0.1	0.2
CT:Hartford	07/01/94	0.1	0.1
CT:Hartford	09/29/94	0.1	0.2
DC:Washington	07/21/94	0.1	0.1
DE:Dover	07/07/94	0.1	0.2
FL:Miami	07/06/94	0.1	0.1
FL:Tampa	07/05/94	0.1	0.1
GA:Baxley	07/05/94	0.1	0.1
HI:Honolulu	07/05/94	0.1	0.2
IA:Cedar Rapids	09/20/94	0.2	0.2
ID:Boise	07/01/94	0.1	0.2
ID:Boise	09/30/94	0.2	0.2
ID:Idaho Falls	07/20/94	0.1	0.2
IL:Morris	07/26/94	0.2	0.2
IL:W. Chicago	07/25/94	0.1	0.2
KS:Topeka	07/01/94	0.1	0.1
LA:New Orleans	07/05/94	0.1	0.1
MA:Lawrence	07/06/94	0.1	0.1
MD:Baltimore	07/01/94	0.1	0.2
MD:Conowingo	07/19/94	0.2	0.1
ME:Augusta	07/28/94	0.1	0.2
MI:Detroit	07/12/94	0.1	0.1
MI:Grand Rapids	07/27/94	0.1	0.2
MN:Minneapolis	07/06/94	0.2	0.1
MN:Red Wing	07/07/94	0.2	0.1
MO:Jefferson City	09/29/94	0.1	0.2
MO:Jefferson City	07/06/94	0.1	0.1
MS:Jackson	07/21/94	0.1	0.2
MS:Port Gibson	07/19/94	0.1	0.2
NC:Charlotte	07/21/94	0.1	0.1
NC:Wilmington	07/07/94	0.1	0.1
ND:Bismarck	07/05/94	0.1	0.1

**Table 10 (continued)**  
**Tritium in Drinking Water**  
**July–September 1994**

Location	Date Collected	<sup>3</sup> H	
		nCi/L	±2σ
NE:Lincoln	07/27/94	0.1	0.2
NH:Concord	09/29/94	0.2	0.2
NJ:Trenton	07/11/94	0.1	0.2
NJ:Waretown	07/13/94	0.2	0.2
NV:Las Vegas	07/18/94	0.2	0.2
NY:Albany	07/06/94	0.1	0.1
NY:New York City	07/13/94	0.1	0.1
NY:Niagara Falls	07/06/94	0.1	0.2
OH:Cincinnati	09/30/94	0.4	0.2
OH:Columbus	09/21/94	0.2	0.2
OH:East Liverpool	07/01/94	0.1	0.1
OH:Painesville	07/14/94	0.1	0.2
OH:Toledo	07/06/94	0.2	0.2
OK:Oklahoma City	07/07/94	0.1	0.2
OR:Portland	07/06/94	0.1	0.2
PA:Columbia	07/21/94	0.2	0.2
PA:Harrisburg	07/21/94	0.2	0.1
PA:Philadelphia	09/20/94	0.2	0.2
PA:Philadelphia-Queen	09/20/94	0.4	0.2
PA:Philadelphia-Baxter	09/20/94	0.1	0.1
PA:Pittsburgh	07/01/94	0.1	0.1
PC:Corozal	07/07/94	0.1	0.1
RI:Providence	09/29/94	0.2	0.2
RI:Providence	07/01/94	0.1	0.1
SC:Barnwell	07/14/94	0.3	0.2
SC:Columbia	07/07/94	0.1	0.1
SC:Jenkinsville	07/15/94	0.1	0.1
SC:Seneca	07/12/94	0.1	0.2
TN:Chattanooga	07/22/94	0.3	0.2
TN:Knoxville	07/01/94	0.1	0.1
TX:Austin	07/05/94	0.1	0.1
VA:Lynchburg	07/05/94	0.1	0.2
VA:Virginia Beach	07/30/94	0.1	0.2
WA:Richland	07/05/94	0.1	0.2
WA:Seattle	07/01/94	0.1	0.2
WA:Seattle	09/29/94	0.2	0.2
WI:Genoa City	07/11/94	0.1	0.2
WI:Madison	07/06/94	0.1	0.1

Note: σ = Counting Error.

### 3. Milk Program

#### Pasteurized Milk

Milk is a reliable indicator of the general population's intake of radionuclides since it is consumed fresh by a large segment of the population and can contain several of the biologically important radionuclides that result from environmental releases from nuclear activities. A primary function of this program is to obtain reliable monitoring data relative to current radionuclide concentrations and determine any long-term trends.

Monthly samples are collected at 65 sampling sites with at least one located in each state, Puerto Rico, and the Panama Canal Zone. The samples are composited, according to production, from the major milk suppliers representing more than 80 percent of the milk consumed in a given population center.

The samples are analyzed for gamma emitting nuclides, including iodine-131, barium-140, cesium-137, and potassium. All samples collected in July are analyzed for strontium-90. Also, for the first month of the three quarters beginning January, April, and October, 10 regional composite samples of milk made up from the states within each of EPA's 10 regions are analyzed for strontium-90.

Iodine-131, barium-140, cesium-137, and potassium are determined by gamma spectral analysis. Strontium-90 is determined by beta counting a total strontium precipitate that has been chemically separated by ion exchange.

Tables 11-13 contain the concentrations of radionuclides in pasteurized milk for July-September 1994. Table 14 contains the concentrations of strontium-90 in pasteurized milk for July 1994.

**Table 11**  
**Radionuclides in Pasteurized Milk**  
**July 1994**

Location	Date Collected	K		<sup>137</sup> Cs		<sup>140</sup> Ba		<sup>131</sup> I	
		g/L	±2σ	pCi/L	±2σ	pCi/L	±2σ	pCi/L	±2σ
AL:Montgomery	07/08/94	1.54	0.08	ND		ND		ND	
AR:Little Rock	07/18/94	1.67	0.06	ND		ND		ND	
AZ:Phoenix	07/14/94	1.72	0.06	ND		ND		ND	
CA:Los Angeles	07/06/94	1.60	0.08	ND		ND		ND	
CA:Sacramento	07/07/94	1.66	0.09	ND		ND		ND	
CA:San Francisco	07/05/94	1.64	0.08	ND		ND		ND	
CO:Denver	07/05/94	1.63	0.09	ND		ND		ND	
DE:Wilmington	07/13/94	1.62	0.07	ND		ND		ND	
FL:Tampa	07/05/94	1.53	0.10	ND		ND		ND	
GA:Atlanta	07/12/94	1.43	0.08	ND		ND		ND	
HI:Honolulu	07/05/94	1.76	0.09	ND		ND		ND	
IA:Des Moines	07/11/94	1.61	0.06	ND		ND		ND	
IL:Chicago	07/07/94	1.64	0.08	ND		ND		ND	
IN:Indianapolis	07/05/94	1.63	0.08	ND		ND		ND	
KS:Wichita	07/25/94	1.70	0.08	ND		ND		ND	
KY:Louisville	07/05/94	1.60	0.09	ND		ND		ND	
LA:New Orleans	07/27/94	1.50	0.09	ND		ND		ND	
MA:Boston	07/08/94	1.62	0.07	ND		ND		ND	
MD:Baltimore	07/01/94	1.60	0.09	ND		ND		ND	
ME:Portland	07/08/94	1.51	0.09	ND		ND		ND	
MI:Detroit	07/07/94	1.67	0.08	ND		ND		ND	
MI:Grand Rapids	07/05/94	1.64	0.09	ND		ND		ND	
MN:St. Paul	07/06/94	1.69	0.09	ND		ND		ND	
MO:Kansas City	07/06/94	1.66	0.06	ND		ND		ND	
MS:Jackson	07/12/94	1.62	0.09	ND		ND		ND	
NC:Charlotte	07/05/94	1.59	0.06	ND		ND		ND	
ND:Minot	07/06/94	1.66	0.08	ND		ND		ND	
NJ:Trenton	07/07/94	1.63	0.07	ND		ND		ND	
NM:Albuquerque	07/15/94	1.63	0.08	ND		ND		ND	
NV:Las Vegas	07/11/94	1.73	0.09	ND		ND		ND	
NY:Buffalo	07/25/94	1.70	0.14	ND		ND		ND	
NY:Syracuse	07/05/94	1.58	0.06	ND		ND		ND	
OH:Cincinnati	07/05/94	1.70	0.09	ND		ND		ND	
OH:Cleveland	07/11/94	1.73	0.06	ND		ND		ND	
OR:Portland	07/11/94	1.64	0.09	ND		ND		ND	
PA:Philadelphia	07/06/94	1.70	0.09	ND		ND		ND	
PA:Pittsburgh	07/06/94	1.58	0.09	ND		ND		ND	

**Table 11 (continued)**  
**Radionuclides in Pasteurized Milk**  
**July 1994**

Location	Date Collected	K		<sup>137</sup> Cs		<sup>140</sup> Ba	<sup>131</sup> I
		g/L	±2σ	pCi/L	±2σ	pCi/L ±2σ	pCi/L ±2σ
PC:Cristobal	07/18/94	1.44	0.14	5	4	ND	ND
PR:San Juan	07/08/94	1.66	0.09	ND		ND	ND
SC:Charleston	07/08/94	1.56	0.08	ND		ND	ND
SD:Rapid City	07/05/94	1.50	0.08	ND		ND	ND
TN:Chatanooga	07/05/94	1.64	0.12	ND		ND	ND
TN:Knoxville	07/11/94	1.71	0.08	ND		ND	ND
TN:Memphis	07/12/94	1.50	0.10	ND		ND	ND
TX:Austin	07/05/94	1.56	0.09	ND		ND	ND
TX:Ft. Worth	07/05/94	1.53	0.14	ND		ND	ND
VA:Norfolk	07/01/94	1.66	0.06	ND		ND	ND
VT:Burlington	07/05/94	1.55	0.08	ND		ND	ND
WA:Seattle	07/05/94	1.72	0.08	ND		ND	ND
WA:Spokane	07/12/94	1.66	0.08	ND		ND	ND

Note: σ = Counting Error. ND = Not Detectable.

**Table 12**  
**Radionuclides in Pasteurized Milk**  
**August 1994**

Location	Date Collected	K		<sup>137</sup> Cs		<sup>140</sup> Ba		<sup>131</sup> I	
		g/L	±2σ	pCi/L	±2σ	pCi/L	±2σ	pCi/L	±2σ
AL:Montgomery	08/10/94	1.50	0.08	ND		ND		ND	
AR:Little Rock	08/03/94	1.63	0.09	ND		ND		ND	
AZ:Phoenix	08/19/94	1.66	0.08	ND		ND		ND	
CA:Los Angeles	08/08/94	1.68	0.06	ND		ND		ND	
CA:Sacramento	08/02/94	1.55	0.09	ND		ND		ND	
CA:San Francisco	08/02/94	1.89	0.09	ND		ND		ND	
CO:Denver	08/05/94	1.60	0.06	ND		ND		ND	
DE:Wilmington	08/11/94	1.70	0.09	ND		ND		ND	
FL:Tampa	08/02/94	1.61	0.09	ND		ND		ND	
GA:Atlanta	08/03/94	1.54	0.14	ND		ND		ND	
HI:Honolulu	08/08/94	1.66	0.09	ND		ND		ND	
IA:Des Moines	08/08/94	1.61	0.11	ND		ND		ND	
IL:Chicago	08/04/94	1.61	0.06	ND		ND		ND	
IN:Indianapolis	08/08/94	1.56	0.09	ND		ND		ND	
KS:Wichita	08/23/94	1.64	0.08	ND		ND		ND	
KY:Louisville	08/09/94	1.60	0.09	ND		ND		ND	
MA:Boston	08/09/94	1.64	0.09	ND		ND		ND	
MD:Baltimore	08/05/94	1.68	0.09	ND		ND		ND	
ME:Portland	08/03/94	1.70	0.08	ND		ND		ND	
MI:Detroit	08/03/94	1.58	0.09	ND		ND		ND	
MI:Grand Rapids	08/08/94	1.61	0.09	ND		ND		ND	
MN:St. Paul	08/03/94	1.64	0.09	ND		ND		ND	
MO:Kansas City	08/29/94	1.66	0.12	ND		ND		ND	
MS:Jackson	08/03/94	1.62	0.09	ND		ND		ND	
NC:Charlotte	08/10/94	1.60	0.09	ND		ND		ND	
NJ:Trenton	08/10/94	1.63	0.09	ND		ND		ND	
NM:Albuquerque	08/24/94	1.56	0.08	ND		ND		ND	
NV:Las Vegas	08/08/94	1.74	0.08	ND		ND		ND	
NY:Buffalo	08/09/94	1.70	0.09	ND		ND		ND	
NY:Syracuse	08/01/94	1.67	0.09	ND		ND		ND	
OH:Cincinnati	08/23/94	1.75	0.13	ND		ND		ND	
OH:Cleveland	08/10/94	1.61	0.09	ND		ND		ND	
OR:Portland	08/01/94	1.68	0.09	ND		ND		ND	
PA:Philadelphia	08/11/94	1.62	0.08	ND		ND		ND	
PA:Pittsburgh	08/08/94	1.68	0.14	ND		ND		ND	
PC:Cristobal	08/15/94	1.56	0.09	4	3	ND		ND	
PR:San Juan	08/04/94	1.58	0.06	ND		ND		ND	

**Table 12 (continued)**  
**Radionuclides in Pasteurized Milk**  
**August 1994**

Location	Date Collected	K		<sup>137</sup> Cs		<sup>140</sup> Ba		<sup>131</sup> I	
		g/L	±2σ	pCi/L	±2σ	pCi/L	±2σ	pCi/L	±2σ
SC:Charleston	08/11/94	1.62	0.09	ND		ND		ND	
SD:Rapid City	08/08/94	1.64	0.06	ND		ND		ND	
TN:Chattanooga	08/08/94	1.64	0.08	ND		ND		ND	
TN:Knoxville	08/11/94	1.61	0.09	ND		ND		ND	
TN:Memphis	08/01/94	1.61	0.09	ND		ND		ND	
TX:Ft. Worth	08/24/94	1.64	0.06	ND		ND		ND	
VA:Norfolk	08/30/94	1.68	0.08	ND		ND		ND	
VT:Burlington	08/17/94	1.66	0.08	ND		ND		ND	
WA:Seattle	08/08/94	1.63	0.06	ND		ND		ND	
WA:Spokane	08/15/94	1.68	0.09	ND		ND		ND	
WV:Charleston	08/08/94	1.75	0.08	ND		ND		ND	

Note:  $\sigma$  = Counting Error. ND = Not Detectable.



**Table 13**  
**Radionuclides in Pasteurized Milk**  
**September 1994**

Location	Date Collected	K		<sup>137</sup> Cs		<sup>140</sup> Ba		<sup>131</sup> I	
		g/L	±2σ	pCi/L	±2σ	pCi/L	±2σ	pCi/L	±2σ
AL:Montgomery	09/09/94	1.67	0.09	ND		ND		ND	
AR:Little Rock	09/07/94	1.58	0.09	ND		ND		ND	
CA:Los Angeles	09/08/94	1.72	0.09	ND		ND		ND	
CA:Sacramento	09/07/94	1.57	0.08	ND		ND		ND	
CA:San Francisco	09/07/94	1.63	0.06	ND		ND		ND	
CO:Denver	09/26/94	1.85	0.10	ND		ND		ND	
DE:Wilmington	09/29/94	1.53	0.09	ND		ND		ND	
FL:Tampa	09/19/94	1.63	0.08	ND		ND		ND	
GA:Atlanta	09/27/94	1.56	0.08	ND		ND		ND	
HI:Honolulu	09/08/94	1.70	0.14	ND		ND		ND	
IA:Des Moines	09/19/94	1.54	0.08	ND		ND		ND	
IL:Chicago	09/08/94	1.54	0.11	ND		ND		ND	
IN:Indianapolis	09/05/94	1.62	0.09	ND		ND		ND	
KS:Wichita	09/20/94	1.73	0.08	ND		ND		ND	
KY:Louisville	09/06/94	1.58	0.08	ND		ND		ND	
MA:Boston	09/09/94	1.53	0.08	ND		ND		ND	
MD:Baltimore	09/09/94	1.64	0.08	ND		ND		ND	
ME:Portland	09/23/94	1.53	0.14	ND		ND		ND	
MI:Detroit	09/07/94	1.69	0.08	ND		ND		ND	
MI:Grand Rapids	09/06/94	1.58	0.11	ND		ND		ND	
MN:St. Paul	09/13/94	1.66	0.09	ND		ND		ND	
MO:Kansas City	09/14/94	1.61	0.08	ND		ND		ND	
MS:Jackson	09/12/94	1.64	0.09	ND		ND		ND	
NC:Charlotte	09/06/94	1.64	0.11	ND		ND		ND	
ND:Minot	09/06/94	1.43	0.08	ND		ND		ND	
NJ:Trenton	09/08/94	1.54	0.09	ND		ND		ND	
NM:Albuquerque	09/06/94	1.57	0.07	ND		ND		ND	
NV:Las Vegas	09/19/94	1.62	0.09	ND		ND		ND	
NY:Buffalo	09/12/94	1.66	0.09	ND		ND		ND	
NY:Syracuse	09/06/94	1.64	0.08	ND		ND		ND	
OH:Cincinnati	09/22/94	1.62	0.08	ND		ND		ND	
OH:Cleveland	09/29/94	1.62	0.10	ND		ND		ND	
OK:Oklahoma City	09/14/94	1.25	0.11	ND		ND		ND	
OR:Portland	09/20/94	1.75	0.14	ND		ND		ND	
PA:Philadelphia	09/07/94	1.58	0.09	ND		ND		ND	
PA:Pittsburgh	09/06/94	1.51	0.09	ND		ND		ND	
PC:Cristobal	09/15/94	1.55	0.08	4	2	ND		ND	

**Table 13 (continued)**  
**Radionuclides in Pasteurized Milk**  
**September 1994**

Location	Date Collected	K		<sup>137</sup> Cs		<sup>140</sup> Ba		<sup>131</sup> I	
		g/L	±2σ	pCi/L	±2σ	pCi/L	±2σ	pCi/L	±2σ
PR:San Juan	09/08/94	1.68	0.08	ND		ND		ND	
SC:Charleston	09/09/94	1.57	0.09	ND		ND		ND	
SD:Rapid City	09/07/94	1.64	0.08	ND		ND		ND	
TN:Chattanooga	09/07/94	1.59	0.06	ND		ND		ND	
TN:Knoxville	09/06/94	1.58	0.09	ND		ND		ND	
TN:Memphis	09/12/94	1.58	0.09	ND		ND		ND	
TX:Austin	09/06/94	1.67	0.08	ND		ND		ND	
TX:Ft. Worth	09/19/94	1.60	0.11	ND		ND		ND	
VA:Norfolk	09/30/94	1.58	0.14	ND		ND		ND	
VT:Burlington	09/08/94	1.55	0.09	ND		ND		ND	
WA:Seattle	09/06/94	1.56	0.09	ND		ND		ND	
WA:Spokane	09/19/94	1.54	0.08	ND		ND		ND	

Note: σ = Counting Error. ND = Not Detectable.

**Table 14**  
**Strontium-90 in Pasteurized Milk**  
**July 1994**

EPA Location	Collection Date	<sup>90</sup> Sr	
		pCi/L	±2σ
AL:Montgomery	07/08/94	1.0	0.5
AR:Little Rock	07/18/94	2.3	0.6
AZ:Phoenix	07/14/94	0.3	0.3
CA:Los Angeles	07/06/94	0.5	0.3
CA:Sacramento	07/07/94	0.4	0.3
CA:San Francisco	07/05/94	0.5	0.4
DE:Wilmington	07/13/94	1.0	0.5
FL:Tampa	07/05/94	0.3	0.4
GA:Atlanta	07/12/94	1.1	0.5
HI:Honolulu	07/05/94	0.6	0.4
IA:Des Moines	07/11/94	1.6	0.6
IL:Chicago	07/07/94	1.4	0.5
IN:Indianapolis	07/05/94	0.8	0.4
KS:Wichita	07/25/94	1.7	0.5
KY:Louisville	07/05/94	0.8	0.5
LA:New Orleans	07/27/94	2.0	0.6
MA:Boston	07/08/94	1.3	0.5
MD:Baltimore	07/01/94	0.6	0.5
ME:Portland	07/08/94	1.7	0.5
MI:Detroit	07/07/94	1.0	0.5
MI:Grand Rapids	07/05/94	1.1	0.5
MN:St. Paul	07/06/94	1.2	0.5
MO:Kansas City	07/06/94	1.5	0.5
MS:Jackson	07/12/94	0.8	0.5
NC:Charlotte	07/05/94	1.0	0.5
ND:Minot	07/06/94	1.2	0.5
NJ:Trenton	07/07/94	1.4	0.5
NM:Albuquerque	07/15/94	0.7	0.4
NV:Las Vegas	07/11/94	0.4	0.3
NY:Buffalo	07/25/94	1.8	0.6
NY:Syracuse	07/05/94	1.2	0.4
OH:Cincinnati	07/05/94	0.3	0.4
OH:Cleveland	07/11/94	1.8	0.5
OR:Portland	07/11/94	0.6	0.4
PA:Philadelphia	07/06/94	1.2	0.5
PA:Pittsburgh	07/06/94	1.9	0.6
PC:Cristobal	07/18/94	0.6	0.5

**Table 14 (continued)**  
**Strontium-90 in Pasteurized Milk**  
**July 1994**

EPA Location	Collection Date	<sup>90</sup> Sr	
		pCi/L	$\pm 2\sigma$
PR:San Juan	07/08/94	0.7	0.4
SC:Charleston	07/08/94	0.5	0.4
SD:Rapid City	07/05/94	1.6	0.5
TN:Chatanooga	07/05/94	1.2	0.5
TN:Knoxville	07/11/94	1.5	0.5
TN:Memphis	07/12/94	1.7	0.5
TX:Austin	07/05/94	0.4	0.4
TX:Ft. Worth	07/05/94	0.8	0.4
VA:Norfolk	07/01/94	0.9	0.5
VT:Burlington	07/05/94	1.3	0.5
WA:Seattle	07/05/94	0.9	0.4
WA:Spokane	07/12/94	1.7	0.5

Note:  $\sigma$  = Counting Error.

*Environmental Radiation Data* (ERD) is published quarterly (January, April, July, October) by the U.S. Environmental Protection Agency's Office of Radiation and Indoor Air.

Requests for information concerning publication and distribution of ERD should be directed to:

Charles M. Petko  
Office of the Director  
National Air and Radiation Environmental Laboratory  
540 South Morris Avenue  
Montgomery, Alabama 36115-2601

Requests for information concerning the operation of ERAMS should be directed to:

John G. Griggs, Chief  
Monitoring and Analytical Services Branch  
National Air and Radiation Environmental Laboratory  
540 South Morris Avenue  
Montgomery, Alabama 36115-2601

or to:

William C. Conklin  
Policy and Emergency Response Branch  
Criteria and Standards Division (6602J)  
USEPA Waterside Mall  
401 M Street, S.W.  
Washington, DC 20460

\*\*\*